

URBNEX

BICYCLE CATALOGUE

2026



Hangzhou Yuming Information Technology Co., Ltd.

Room 12552, Building 9, No. 336 Changjiang Road,
Changhe Subdistrict, Binjiang District, Hangzhou, Zhejiang, China

WhatsApp: Niklaus Wang

Contact details on the back cover

Explore the collection

01	ROAD BIKE	6 product views	03
02	CITY & TREKKING BIKE	11 product views	06
03	MOUNTAIN BIKE	41 product views	12
04	FOLDING BIKE	6 product views	33
05	ELECTRIC BIKE	8 product views	36
06	JUNIOR BIKE	18 product views	40
07	SUSPENSION BIKE	5 product views	49
08	FAT TIRE BIKE	4 product views	52

UNX-RD001

ROAD BIKE



CONFIGURATION

FRAME	700C carbon fiber / road / disc mounts
FORK	700C carbon fiber / rigid / disc mounts
DRIVETRAIN	SHIMANO TIAGRA ST-4720 / 2 x 10S
FRONT DERAILEUR	SHIMANO FD-4700 / braze-on / max. 52T
REAR DERAILEUR	SHIMANO RD-4700-GS / max. 34T
CRANKSET	PROWHEEL OUNCE-521C-N / 34-50T
FREEWHEEL	SHIMANO CS-HG500-10 / 12-28T
CHAIN	SHIMANO CN-HG54 / 10-speed
BRAKES	SHIMANO BR-4770 / hydraulic disc / 160 mm
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1406 / 700 x 28C
HANDLEBAR	Integrated carbon drop bar / 400 mm
STEM	Integrated with carbon handlebar
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / alloy / 27.2 x 350 mm
PEDALS	FEIMIN / platform pedals

UNX-RD002

ROAD BIKE



CONFIGURATION

FRAME	700C carbon fiber / road / disc mounts
FORK	700C carbon fiber / rigid / disc mounts
DRIVETRAIN	SHIMANO TIAGRA ST-4720 / 2 x 10S
FRONT DERAILEUR	SHIMANO FD-4700 / braze-on / max. 52T
REAR DERAILEUR	SHIMANO RD-4700-GS / max. 34T
CRANKSET	PROWHEEL OUNCE-521C-N / 34-50T
FREEWHEEL	SHIMANO CS-HG500-10 / 12-28T
CHAIN	SHIMANO CN-HG54 / 10-speed
BRAKES	SHIMANO BR-4770 / hydraulic disc / 160 mm
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1406 / 700 x 28C
HANDLEBAR	Integrated carbon drop bar / 400 mm
STEM	Integrated with carbon handlebar
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / alloy / 27.2 x 350 mm
PEDALS	FEIMIN / platform pedals

UNX-RD003

ROAD BIKE



CONFIGURATION

FRAME	700C carbon fiber / road / disc mounts
FORK	700C carbon fiber / rigid / disc mounts
DRIVETRAIN	SHIMANO TIAGRA ST-4720 / 2 x 10S
FRONT DERAILEUR	SHIMANO FD-4700 / braze-on / max. 52T
REAR DERAILEUR	SHIMANO RD-4700-GS / max. 34T
CRANKSET	PROWHEEL OUNCE-521C-N / 34-50T
FREEWHEEL	SHIMANO CS-HG500-10 / 12-28T
CHAIN	SHIMANO CN-HG54 / 10-speed
BRAKES	SHIMANO BR-4770 / hydraulic disc / 160 mm
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1406 / 700 x 28C
HANDLEBAR	Integrated carbon drop bar / 400 mm
STEM	Integrated with carbon handlebar
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / alloy / 27.2 x 350 mm
PEDALS	FEIMIN / platform pedals

UNX-RD004

ROAD BIKE



CONFIGURATION

FRAME	700C carbon fiber / road / disc mounts
FORK	700C carbon fiber / rigid / disc mounts
DRIVETRAIN	SHIMANO TIAGRA ST-4720 / 2 x 10S
FRONT DERAILEUR	SHIMANO FD-4700 / braze-on / max. 52T
REAR DERAILEUR	SHIMANO RD-4700-GS / max. 34T
CRANKSET	PROWHEEL OUNCE-521C-N / 34-50T
FREEWHEEL	SHIMANO CS-HG500-10 / 12-28T
CHAIN	SHIMANO CN-HG54 / 10-speed
BRAKES	SHIMANO BR-4770 / hydraulic disc / 160 mm
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1406 / 700 x 28C
HANDLEBAR	Integrated carbon drop bar / 400 mm
STEM	Integrated with carbon handlebar
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / alloy / 27.2 x 350 mm
PEDALS	FEIMIN / platform pedals

UNX-RD005

ROAD BIKE



CONFIGURATION

FRAME	700C carbon fiber / road / disc mounts
FORK	700C carbon fiber / rigid / disc mounts
DRIVETRAIN	SHIMANO SL-4700 / flat bar / 2 x 10S
FRONT DERAILLEUR	SHIMANO FD-4700 / braze-on / max. 52T
REAR DERAILLEUR	SHIMANO RD-4700-GS / max. 34T
CRANKSET	PROWHEEL OUNCE-521C-N / 34-50T
FREEWHEEL	SHIMANO CS-HG500-10 / 12-28T
CHAIN	SHIMANO CN-HG54 / 10-speed
BRAKES	YAK ZJ-2 / mech. disc / alloy brake levers
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1406 / 700 x 28C
TUBES	WANDA 700 x 28C
RIM TAPE	700C x 14
HANDLEBAR	MODE / alloy flat bar / 31.8 x 600 mm
STEM	MODE / alloy stem / 31.8 x 100 mm
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-RD006

ROAD BIKE



CONFIGURATION

FRAME	700C carbon fiber / road / disc mounts
FORK	700C carbon fiber / rigid / disc mounts
DRIVETRAIN	SHIMANO TIAGRA ST-4720 / 2 x 10S
FRONT DERAILLEUR	SHIMANO FD-4700 / braze-on / max. 52T
REAR DERAILLEUR	SHIMANO RD-4700-GS / max. 34T
CRANKSET	PROWHEEL OUNCE-521C-N / 34-50T
FREEWHEEL	SHIMANO CS-HG500-10 / 12-28T
CHAIN	SHIMANO CN-HG54 / 10-speed
BRAKES	SHIMANO BR-4770 / hydraulic disc / 160 mm
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1406 / 700 x 28C
HANDLEBAR	Integrated carbon drop bar / 400 mm
STEM	Integrated with carbon handlebar
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / alloy / 27.2 x 350 mm
PEDALS	FEIMIN / platform pedals

UNX-CT001

CITY BIKE



CONFIGURATION

FRAME	20/22/24/26" Hi-ten steel / step-through / rim mounts
FORK	20/22/24/26" hi-ten steel / rigid / rim mounts
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / alloy V-brake
WHEELS	SHUNFENG / single-speed hubset
RIMS	SHUANGXING / 20/22/24/26" double-wall alloy
TIRES	WANDA / 20/22/24/26" city tread
HANDLEBAR	MODE / steel city riser bar
STEM	MODE / steel quill stem
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals
EQUIPMENT	Fenders / rear rack / kickstand

UNX-CT002

CITY BIKE



CONFIGURATION

FRAME	20/24/26" Hi-ten steel / step-through / rim mounts
FORK	20/24/26" hi-ten steel / rigid / rim mounts
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX front rim / KANGYUE rear coaster
WHEELS	SHUNFENG / single-speed hubset
RIMS	SHUANGXING / 20/24/26" double-wall alloy
TIRES	WANDA / 20/24/26" city tread
HANDLEBAR	MODE / steel city riser bar
STEM	MODE / steel quill stem
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals
EQUIPMENT	Fenders / rear rack / kickstand

UNX-CT003

CITY BIKE



CONFIGURATION

□	FRAME	24" Hi-ten steel / step-through / rim mounts
└─┘	FORK	24" hi-ten steel / rigid / rim mounts
⚙	DRIVETRAIN	Single speed
Q	CRANKSET	XINGHUA S1003 / steel / 44T
⚙	FREEWHEEL	KANGYUE / 18T single sprocket
⚙	CHAIN	KMC S1 / 1/2 x 1/8"
⚙	BRAKES	SAX / alloy V-brake
⚙	WHEELS	SHUNFENG / single-speed hubset
⚙	RIMS	SHUANGXING / 24" double-wall alloy
⚙	TIRES	WANDA / 24" city tread
⚙	TUBES	WANDA 24 x 1.95
⚙	RIM TAPE	24 x 18mm
└─┘	HANDLEBAR	MODE / steel city riser bar
└─┘	STEM	MODE / steel quill stem
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
⚙	PEDALS	FEIMIN / platform pedals
⚙	EQUIPMENT	Fenders / rear rack / kickstand

UNX-CT004

CITY BIKE



CONFIGURATION

□	FRAME	26" Hi-ten steel / step-through / rim mounts
└─┘	FORK	26" hi-ten steel / rigid / rim mounts
⚙	DRIVETRAIN	Single speed
Q	CRANKSET	XINGHUA S1003 / steel / 44T
⚙	FREEWHEEL	KANGYUE / 18T single sprocket
⚙	CHAIN	KMC S1 / 1/2 x 1/8"
⚙	BRAKES	SAX / alloy V-brake
⚙	WHEELS	SHUNFENG / single-speed hubset
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26" city tread
⚙	TUBES	WANDA 26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel city riser bar
└─┘	STEM	MODE / steel quill stem
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
⚙	PEDALS	FEIMIN / platform pedals
⚙	EQUIPMENT	Fenders / rear rack / kickstand

UNX-CT005

CITY BIKE



CONFIGURATION

FRAME	26" Hi-ten steel / step-through / rim mounts
FORK	26" hi-ten steel / rigid / rim mounts
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / alloy V-brake
WHEELS	SHUNFENG / single-speed hubset
RIMS	SHUANGXING / 26" double-wall alloy
TIRES	WANDA / 26" city tread
TUBES	WANDA 26 x 1.95
RIM TAPE	26 x 18mm
HANDLEBAR	MODE / steel city riser bar
STEM	MODE / steel quill stem
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals
EQUIPMENT	Fenders / rear rack / kickstand

UNX-CT006

CITY BIKE



CONFIGURATION

FRAME	26" Hi-ten steel / step-through / rim mounts
FORK	26" hi-ten steel / rigid / rim mounts
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX front rim / KANGYUE rear coaster
WHEELS	SHUNFENG / single-speed hubset
RIMS	SHUANGXING / 26" double-wall alloy
TIRES	WANDA / 26" city tread
TUBES	WANDA 26 x 1.95
RIM TAPE	26 x 18mm
HANDLEBAR	MODE / steel city riser bar
STEM	MODE / steel quill stem
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals
EQUIPMENT	Fenders / rear rack / kickstand

UNX-CT007

CITY BIKE



CONFIGURATION

▢	FRAME	700C 6061 alloy / step-through / disc mounts
└─┘	FORK	MODE / 700C steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 700C double-wall alloy
⚙	TIRES	WANDA / 700C city tread
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-CT008

CITY BIKE



CONFIGURATION

▢	FRAME	700C 6061 alloy / city / disc mounts
└─┘	FORK	700C hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	WHEELTOP / alloy / 32T single
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 700C double-wall alloy
⚙	TIRES	CST C1096 / 700 x 35C
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-CT009

CITY BIKE



CONFIGURATION

FRAME	700C 6061 alloy / step-through / disc mounts
FORK	700C hi-ten steel / rigid / disc mounts
DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	WHEELTOP / alloy / 32T single
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1096 / 700 x 35C
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-CT010

CITY BIKE



CONFIGURATION

FRAME	700C 6061 alloy / step-through / disc mounts
FORK	MODE / 700C steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 700C double-wall alloy
TIRES	CST C1096 / 700 x 35C
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-CT011

CITY BIKE



CONFIGURATION

	FRAME	700C 6061 alloy / city / disc mounts
	FORK	700C hi-ten steel / rigid / disc mounts
	DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
	CRANKSET	WHEELTOP / alloy / 32T single
	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
	CHAIN	KMC Z7 / 7-speed
	BRAKES	RPT DSC-310 / mech. disc / 160 mm
	WHEELS	SHUNFENG / threaded rear hub
	RIMS	SHUANGXING / 700C double-wall alloy
	TIRES	CST C1096 / 700 x 35C
	HANDLEBAR	MODE / steel riser bar
	STEM	MODE / alloy stem / 31.8 mm clamp
	SADDLE	VADER / padded saddle / steel rails
	SEATPOST	MODE / steel seatpost
	PEDALS	FEIMIN / platform pedals

UNX-MT001

MOUNTAIN BIKE



CONFIGURATION

FRAME	20" Hi-ten steel / hardtail / disc mounts
FORK	MODE / 20" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 20" double-wall alloy
TIRES	WANDA / 20" MTB tread
TUBES	20 x 2.125
RIM TAPE	20 x 18mm
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT002

MOUNTAIN BIKE



CONFIGURATION

FRAME	20/22" Hi-ten steel / hardtail / disc mounts
FORK	MODE / 20/22" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	20/22" one-piece molded wheelset
TIRES	WANDA / 20/22" MTB tread
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT003

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	22" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 22" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 22" double-wall alloy
⚙	TIRES	WANDA / 22" MTB tread
⚙	TUBES	22 x 1.75
⚙	RIM TAPE	22 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT004

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	22" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 22" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 22" double-wall alloy
⚙	TIRES	WANDA / 22" MTB tread
⚙	TUBES	22 x 1.75
⚙	RIM TAPE	22 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT005

MOUNTAIN BIKE



CONFIGURATION

FRAME	22" 6061 alloy / hardtail / disc mounts
FORK	MODE / 22" steel coil suspension
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / single-speed hubset
RIMS	SHUANGXING / 22" double-wall alloy
TIRES	WANDA / 22" MTB tread
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals
EQUIPMENT	Pedals / reflectors

UNX-MT006

MOUNTAIN BIKE



CONFIGURATION

FRAME	26" 6061 alloy / hardtail / disc mounts
FORK	MODE / 26" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 26" double-wall alloy
TIRES	WANDA / 26" MTB tread
TUBES	26 x 1.95
RIM TAPE	26 x 18mm
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT007

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26" MTB tread
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT008

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26" MTB tread
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT009

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26" MTB tread
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT010

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26" MTB tread
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT011

MOUNTAIN BIKE



CONFIGURATION

FRAME	26" 6061 alloy / hardtail / disc mounts
FORK	MODE / 26" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 26" double-wall alloy
TIRES	WANDA / 26" MTB tread
TUBES	26 x 1.95
RIM TAPE	26 x 18mm
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT012

MOUNTAIN BIKE



CONFIGURATION

FRAME	24" Hi-ten steel / hardtail / rim mounts
FORK	MODE / 24" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	SAX / alloy V-brake
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 24" double-wall alloy
TIRES	WANDA / 24" MTB tread
TUBES	24 x 1.95
RIM TAPE	24 x 18mm
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT013

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	24" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 24" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 24" double-wall alloy
⚙	TIRES	WANDA / 24" MTB tread
⚙	TUBES	24 x 1.95
⚙	RIM TAPE	24 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT014

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	24" magnesium alloy / molded frame
└─┘	FORK	MODE / 24" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 24" double-wall alloy
⚙	TIRES	WANDA / 24" MTB tread
⚙	TUBES	24 x 1.95
⚙	RIM TAPE	24 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT015

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26/27.5" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 26/27.5" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26/27.5" double-wall alloy
⚙	TIRES	WANDA / 26/27.5" MTB tread
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT016

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT017

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	26" hi-ten steel / rigid / disc mounts
⋈	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⋈	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⋈	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⋈	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⋈	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⋈	CHAIN	KMC Z7 / 7-speed
⋈	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⋈	WHEELS	SHUNFENG / threaded rear hub
⋈	RIMS	SHUANGXING / 26" double-wall alloy
⋈	TIRES	CST C1846 / 26" x 2.10
⋈	TUBES	26 x 1.95
⋈	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT018

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⋈	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⋈	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⋈	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⋈	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⋈	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⋈	CHAIN	KMC Z7 / 7-speed
⋈	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⋈	WHEELS	SHUNFENG / threaded rear hub
⋈	RIMS	SHUANGXING / 26" double-wall alloy
⋈	TIRES	CST C1846 / 26" x 2.10
⋈	TUBES	26 x 1.95
⋈	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT019

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT020

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	26" one-piece molded wheelset
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT021

MOUNTAIN BIKE



CONFIGURATION

□	FRAME	26" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT022

MOUNTAIN BIKE



CONFIGURATION

□	FRAME	26" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⚙	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
⚙	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⚙	CHAIN	KMC X9 / 9-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT023

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT024

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" 6061 alloy / folding / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT025

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / hardtail / disc mounts
└┐	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	WHEELTOP / alloy / 32T single
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 1.95
⚙	RIM TAPE	26 x 18mm
└┐	HANDLEBAR	MODE / steel riser bar
└┐	STEM	MODE / alloy stem / 31.8 mm clamp
└┐	SADDLE	VADER / padded saddle / steel rails
└┐	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT026

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	27.5" 6061 alloy / hardtail / disc mounts
└┐	FORK	SR SUNTOUR XCM / 27.5" / 100 mm
⚙	DRIVETRAIN	SRAM SX Eagle / 1 x 12S
⚙	REAR DERAILLEUR	SRAM SX Eagle / 12-speed
⚙	CRANKSET	SRAM SX Eagle / alloy / 34T
⚙	FREEWHEEL	SRAM PG-1210 / 11-50T
⚙	CHAIN	SRAM SX Eagle / 12-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 27.5" double-wall alloy
⚙	TIRES	CST C1846 / 27.5" x 2.10
⚙	TUBES	CST 27.5 x 2.1
⚙	RIM TAPE	27.5 x 18mm
└┐	HANDLEBAR	MODE / alloy flat bar / 680 mm
└┐	STEM	MODE / alloy stem / 31.8 mm clamp
└┐	SADDLE	VADER / padded saddle / steel rails
└┐	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT027

MOUNTAIN BIKE



CONFIGURATION

FRAME	27.5" 6061 alloy / hardtail / disc mounts
FORK	MODE / 27.5" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 27.5" double-wall alloy
TIRES	CST C1846 / 27.5" x 2.10
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT028

MOUNTAIN BIKE



CONFIGURATION

FRAME	27.5" 6061 alloy / hardtail / disc mounts
FORK	SR SUNTOUR XCM / 27.5" / 100 mm
DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
REAR DERAILLEUR	SHIMANO RD-M3000-SGS
CRANKSET	WHEELTOP / alloy / 34T single
FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
CHAIN	KMC X9 / 9-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 27.5" double-wall alloy
TIRES	CST C1846 / 27.5" x 2.10
HANDLEBAR	MODE / alloy flat bar / 680 mm
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT029

MOUNTAIN BIKE



CONFIGURATION

FRAME	29" 6061 alloy / hardtail / disc mounts
FORK	SR SUNTOUR XCM / 29" / 100 mm
DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
REAR DERAILLEUR	SHIMANO RD-M3000-SGS
CRANKSET	WHEELTOP / alloy / 34T single
FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
CHAIN	KMC X9 / 9-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	JOYTECH alloy / cassette rear
RIMS	SHUANGXING / 29" double-wall alloy
TIRES	CST C1846 / 29" x 2.10
TUBES	29 x 2.1
RIM TAPE	29 x 18mm
HANDLEBAR	MODE / alloy flat bar / 680 mm
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT030

MOUNTAIN BIKE



CONFIGURATION

FRAME	29" Hi-ten steel / hardtail / disc mounts
FORK	MODE / 29" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 29" double-wall alloy
TIRES	CST C1846 / 29" x 2.10
TUBES	29 x 2.1
RIM TAPE	29 x 18mm
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-MT031

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	29" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 29" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 29" double-wall alloy
⚙	TIRES	CST C1846 / 29" x 2.10
⚙	TUBES	29 x 2.1
⚙	RIM TAPE	29 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT032

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	29" 6061 alloy / hardtail / disc mounts
└─┘	FORK	SR SUNTOUR XCM / 29" / 100 mm
⚙	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⚙	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
⚙	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⚙	CHAIN	KMC X9 / 9-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 29" double-wall alloy
⚙	TIRES	CST C1846 / 29" x 2.10
⚙	TUBES	29 x 2.1
⚙	RIM TAPE	29 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT033

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	29" 6061 alloy / hardtail / disc mounts
└─┘	FORK	SR SUNTOUR XCM / 29" / 100 mm
⚙	DRIVETRAIN	SHIMANO SL-M6000 / 1 x 10S
⚙	REAR DERAILLEUR	SHIMANO RD-M6000-GS
⚙	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG50-10 / 11-36T
⚙	CHAIN	KMC X10 / 10-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 29" double-wall alloy
⚙	TIRES	CST C1846 / 29" x 2.10
⚙	TUBES	CST 29 x 2.1
⚙	RIM TAPE	29 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT034

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	26" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⚙	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⚙	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
⚙	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⚙	CHAIN	KMC X9 / 9-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	CST C1846 / 26" x 2.10
⚙	TUBES	26 x 2.1
⚙	RIM TAPE	26 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT035

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	29" 6061 alloy / hardtail / disc mounts
└─┘	FORK	SR SUNTOUR XCM / 29" / 100 mm
⚙	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⚙	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
Q	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⚙	CHAIN	KMC X9 / 9-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 29" double-wall alloy
⚙	TIRES	CST C1846 / 29" x 2.10
⚙	TUBES	29 x 2.1
⚙	RIM TAPE	29 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT036

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	29" 6061 alloy / hardtail / disc mounts
└─┘	FORK	SR SUNTOUR XCM / 29" / 100 mm
⚙	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⚙	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
Q	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⚙	CHAIN	KMC X9 / 9-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 29" double-wall alloy
⚙	TIRES	CST C1846 / 29" x 2.10
⚙	TUBES	29 x 2.1
⚙	RIM TAPE	29 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT037

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	29" 6061 alloy / hardtail / disc mounts
└─┘	FORK	SR SUNTOUR XCM / 29" / 100 mm
⚙	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⚙	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
Q	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⚙	CHAIN	KMC X9 / 9-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 29" double-wall alloy
⚙	TIRES	CST C1846 / 29" x 2.10
⚙	TUBES	29 x 2.1
⚙	RIM TAPE	29 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT038

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	29" 6061 alloy / hardtail / disc mounts
└─┘	FORK	SR SUNTOUR XCM / 29" / 100 mm
⚙	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⚙	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
Q	CRANKSET	WHEELTOP / alloy / 34T single
⚙	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⚙	CHAIN	KMC X9 / 9-speed
⚙	BRAKES	SHIMANO MT200 / hydraulic disc
⚙	WHEELS	JOYTECH alloy / cassette rear
⚙	RIMS	SHUANGXING / 29" double-wall alloy
⚙	TIRES	CST C1846 / 29" x 2.10
⚙	TUBES	29 x 2.1
⚙	RIM TAPE	29 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT039

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	27.5" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 27.5" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 27.5" double-wall alloy
⚙	TIRES	CST C1846 / 27.5" x 2.10
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT040

MOUNTAIN BIKE



CONFIGURATION

▢	FRAME	24" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 24" steel coil suspension
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 24" double-wall alloy
⚙	TIRES	WANDA / 24" MTB tread
⚙	TUBES	24 x 1.95
⚙	RIM TAPE	24 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-MT041

MOUNTAIN BIKE



CONFIGURATION

	FRAME	24" 6061 alloy / hardtail / disc mounts
	FORK	MODE / 24" steel coil suspension
	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
	CRANKSET	SHIXINGHENG / steel / 24-34-42T
	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
	CHAIN	KMC Z7 / 7-speed
	BRAKES	RPT DSC-310 / mech. disc / 160 mm
	WHEELS	SHUNFENG / threaded rear hub
	RIMS	SHUANGXING / 24" double-wall alloy
	TIRES	WANDA / 24" MTB tread
	TUBES	24 x 1.95
	RIM TAPE	24 x 18mm
	HANDLEBAR	MODE / steel riser bar
	STEM	MODE / alloy stem / 31.8 mm clamp
	SADDLE	VADER / padded saddle / steel rails
	SEATPOST	MODE / steel seatpost
	PEDALS	FEIMIN / platform pedals

UNX-FD001

FOLDING BIKE



CONFIGURATION

▢	FRAME	16/20" Hi-ten steel / folding / disc mounts
└─┘	FORK	16/20" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	Single speed
Q	CRANKSET	XINGHUA S1003 / steel / 44T
⚙	FREEWHEEL	KANGYUE / 18T single sprocket
⚙	CHAIN	KMC S1 / 1/2 x 1/8"
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / single-speed hubset
⚙	RIMS	SHUANGXING / 16/20" double-wall alloy
⚙	TIRES	KENDA / 16/20" folding tire
└─┘	HANDLEBAR	MODE / alloy flat bar / 560 mm
└─┘	STEM	FUHO / alloy folding stem
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / extended alloy seatpost
▢	PEDALS	FEIMIN / folding platform
⚙	EQUIPMENT	Fenders / rear rack / kickstand

UNX-FD002

FOLDING BIKE



CONFIGURATION

▢	FRAME	16" 6061 alloy / folding / disc mounts
└─┘	FORK	16" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
Q	CRANKSET	XINGHUA A1-3152P2S / alloy / 52T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 16" double-wall alloy
⚙	TIRES	KENDA / 16" folding tire
⚙	TUBES	KENDA 16 x 1.50
⚙	RIM TAPE	16 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 560 mm
└─┘	STEM	FUHO / alloy folding stem
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / extended alloy seatpost
▢	PEDALS	FEIMIN / folding platform

UNX-FD003

FOLDING BIKE



CONFIGURATION

	FRAME	20" Hi-ten steel / folding / disc mounts
	FORK	20" hi-ten steel / rigid / disc mounts
	DRIVETRAIN	Single speed
	CRANKSET	XINGHUA S1003 / steel / 44T
	FREEWHEEL	KANGYUE / 18T single sprocket
	CHAIN	KMC S1 / 1/2 x 1/8"
	BRAKES	RPT DSC-310 / mech. disc / 160 mm
	WHEELS	SHUNFENG / single-speed hubset
	RIMS	SHUANGXING / 20" double-wall alloy
	TIRES	KENDA K193 / 20 x 1.50
	HANDLEBAR	MODE / alloy flat bar / 560 mm
	STEM	FUHO / alloy folding stem
	SADDLE	VADER / padded saddle / steel rails
	SEATPOST	MODE / extended alloy seatpost
	PEDALS	FEIMIN / folding platform
	EQUIPMENT	Fenders / rear rack / kickstand

UNX-FD004

FOLDING BIKE



CONFIGURATION

	FRAME	20" Hi-ten steel / folding / disc mounts
	FORK	20" hi-ten steel / rigid / disc mounts
	DRIVETRAIN	Single speed
	CRANKSET	XINGHUA S1003 / steel / 44T
	FREEWHEEL	KANGYUE / 18T single sprocket
	CHAIN	KMC S1 / 1/2 x 1/8"
	BRAKES	RPT DSC-310 / mech. disc / 160 mm
	WHEELS	SHUNFENG / single-speed hubset
	RIMS	SHUANGXING / 20" double-wall alloy
	TIRES	KENDA K193 / 20 x 1.50
	HANDLEBAR	MODE / alloy flat bar / 560 mm
	STEM	FUHO / alloy folding stem
	SADDLE	VADER / padded saddle / steel rails
	SEATPOST	MODE / extended alloy seatpost
	PEDALS	FEIMIN / folding platform
	EQUIPMENT	Fenders / rear rack / kickstand

UNX-FD005

FOLDING BIKE



CONFIGURATION

▢	FRAME	20" Hi-ten steel / folding / disc mounts
└─┘	FORK	20" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	XINGHUA A1-3152P2S / alloy / 52T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 20" double-wall alloy
⚙	TIRES	KENDA K193 / 20 x 1.50
└─┘	HANDLEBAR	MODE / alloy flat bar / 560 mm
└─┘	STEM	FUHO / alloy folding stem
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / extended alloy seatpost
▢	PEDALS	FEIMIN / folding platform

UNX-FD006

FOLDING BIKE



CONFIGURATION

▢	FRAME	22" 6061 alloy / folding / disc mounts
└─┘	FORK	22" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	XINGHUA A1-3152P2S / alloy / 52T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 22" double-wall alloy
⚙	TIRES	KENDA / 22" folding tire
⚙	TUBES	KENDA 22 x 1.50
⚙	RIM TAPE	22 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 560 mm
└─┘	STEM	FUHO / alloy folding stem
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / extended alloy seatpost
▢	PEDALS	FEIMIN / folding platform

UNX-EB001

ELECTRIC BIKE



CONFIGURATION

FRAME	26" 6061 alloy / hardtail / disc mounts
FORK	MODE / 26" steel coil suspension
DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	SHIXINGHENG / steel / 24-34-42T
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	Front disc hub / integrated rear motor
RIMS	SHUANGXING / 26" double-wall alloy
TIRES	CST C1846 / 26" x 2.10
TUBES	26 x 1.95
RIM TAPE	26 x 18mm
MOTOR	SHENGYI DGWX2 / rear hub motor
BATTERY	NAXIN / 36 V Li-ion battery
CONTROLLER	LISHUI / matched controller
DISPLAY	KEY-DISP KD58C / LCD
SADDLE	VADER / padded saddle / steel rails
PEDALS	FEIMIN / platform pedals

UNX-EB002

ELECTRIC BIKE



CONFIGURATION

FRAME	20" Hi-ten steel / hardtail / disc mounts
FORK	MODE / 20" steel coil suspension
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	Front disc hub / integrated rear motor
RIMS	SHUANGXING / 20" double-wall alloy
TIRES	WANDA / 20 x 3.0
MOTOR	SHENGYI / compact rear hub motor
BATTERY	NAXIN / compact Li-ion pack
CONTROLLER	LISHUI / matched controller
DISPLAY	KEY-DISP / LCD display
SADDLE	VADER / padded saddle / steel rails
PEDALS	FEIMIN / platform pedals

UNX-EB003

ELECTRIC BIKE



CONFIGURATION

	FRAME	20" Hi-ten steel / hardtail / disc mounts
	FORK	MODE / 20" steel coil suspension
	DRIVETRAIN	Single speed
	CRANKSET	XINGHUA S1003 / steel / 44T
	FREEWHEEL	KANGYUE / 18T single sprocket
	CHAIN	KMC S1 / 1/2 x 1/8"
	BRAKES	RPT DSC-310 / mech. disc / 160 mm
	WHEELS	20" one-piece molded wheelset
	TIRES	WANDA / 20 x 3.0
	MOTOR	SHENGYI / compact rear hub motor
	BATTERY	NAXIN / compact Li-ion pack
	CONTROLLER	LISHUI / matched controller
	DISPLAY	KEY-DISP / LCD display
	SADDLE	VADER / padded saddle / steel rails
	PEDALS	FEIMIN / platform pedals

UNX-EB004

ELECTRIC BIKE



CONFIGURATION

	FRAME	20" Hi-ten steel / hardtail / disc mounts
	FORK	MODE / 20" steel coil suspension
	DRIVETRAIN	Single speed
	CRANKSET	XINGHUA S1003 / steel / 44T
	FREEWHEEL	KANGYUE / 18T single sprocket
	CHAIN	KMC S1 / 1/2 x 1/8"
	BRAKES	RPT DSC-310 / mech. disc / 160 mm
	WHEELS	Front disc hub / integrated rear motor
	RIMS	SHUANGXING / 20" double-wall alloy
	TIRES	WANDA / 20 x 3.0
	MOTOR	SHENGYI / compact rear hub motor
	BATTERY	NAXIN / compact Li-ion pack
	CONTROLLER	LISHUI / matched controller
	DISPLAY	KEY-DISP / LCD display
	SADDLE	VADER / padded saddle / steel rails
	PEDALS	FEIMIN / platform pedals

UNX-EB005

ELECTRIC BIKE



CONFIGURATION

🔧	FRAME	14" Hi-ten steel / hardtail / disc mounts
🔧	FORK	14" hi-ten steel / rigid / disc mounts
🔧	DRIVETRAIN	Single speed
🔧	CRANKSET	XINGHUA S1003 / steel / 44T
🔧	FREEWHEEL	KANGYUE / 18T single sprocket
🔧	CHAIN	KMC S1 / 1/2 x 1/8"
🔧	BRAKES	RPT DSC-310 / mech. disc / 160 mm
🔧	WHEELS	Front disc hub / integrated rear motor
🔧	RIMS	SHUANGXING / 14" double-wall alloy
🔧	TIRES	WANDA / 14 x 2.125
🔧	TUBES	WANDA 14 x 2.125
🔧	RIM TAPE	14 x 18mm
🔧	MOTOR	SHENGYI / compact rear hub motor
+	BATTERY	NAXIN / compact Li-ion pack
+	CONTROLLER	LISHUI / matched controller
+	DISPLAY	KEY-DISP / LCD display
🚲	SADDLE	VADER / padded saddle / steel rails
🚲	PEDALS	FEIMIN / platform pedals

UNX-EB006

ELECTRIC BIKE



CONFIGURATION

🔧	FRAME	26" 6061 alloy / hardtail / disc mounts
🔧	FORK	MODE / 26" steel coil suspension
🔧	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
🔧	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
🔧	CRANKSET	SHIXINGHENG / steel / 24-34-42T
🔧	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
🔧	CHAIN	KMC Z7 / 7-speed
🔧	BRAKES	RPT DSC-310 / mech. disc / 160 mm
🔧	WHEELS	Front disc hub / integrated rear motor
🔧	RIMS	SHUANGXING / 26" double-wall alloy
🔧	TIRES	CST C1846 / 26" x 2.10
🔧	TUBES	26 x 1.95
🔧	RIM TAPE	26 x 18mm
🔧	MOTOR	SHENGYI DGWX2 / rear hub motor
+	BATTERY	NAXIN / 36 V Li-ion battery
+	CONTROLLER	LISHUI / matched controller
+	DISPLAY	KEY-DISP KD58C / LCD
🚲	SADDLE	VADER / padded saddle / steel rails
🚲	PEDALS	FEIMIN / platform pedals

UNX-EB007

ELECTRIC BIKE



CONFIGURATION

FRAME	27.5" 6061 alloy / hardtail / disc mounts
FORK	SR SUNTOUR XCM / 27.5" / 100 mm
DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
REAR DERAILLEUR	SHIMANO RD-M3000-SGS
CRANKSET	WHEELTOP / alloy / 34T single
FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
CHAIN	KMC X9 / 9-speed
BRAKES	SHIMANO MT200 / hydraulic disc
WHEELS	Front disc hub / integrated rear motor
RIMS	SHUANGXING / 27.5" double-wall alloy
TIRES	CST C1846 / 27.5" x 2.10
MOTOR	SHENGYI DGWX2 / rear hub motor
BATTERY	NAXIN / 36 V Li-ion battery
CONTROLLER	LISHUI / matched controller
DISPLAY	KEY-DISP KD58C / LCD
SADDLE	VADER / padded saddle / steel rails
PEDALS	FEIMIN / platform pedals

UNX-EB008

ELECTRIC BIKE



CONFIGURATION

FRAME	27.5" 6061 alloy / full suspension / disc mounts
FORK	SR SUNTOUR XCM / 27.5" / 100 mm
REAR SHOCK	Coil spring / frame-matched mounting
DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
REAR DERAILLEUR	SHIMANO RD-M3000-SGS
CRANKSET	WHEELTOP / alloy / 34T single
FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
CHAIN	KMC X9 / 9-speed
BRAKES	SHIMANO MT200 / hydraulic disc
WHEELS	JOYTECH / disc hubset
TIRES	CST C1846 / 27.5" x 2.10
MOTOR	BAFANG M420 / mid-drive / 36 V 250 W
BATTERY	PHYLION / frame-integrated Li-ion
CONTROLLER	BAFANG / integrated controller
DISPLAY	BAFANG DP C18.CAN / color LCD
SADDLE	VADER / padded saddle / steel rails
PEDALS	FEIMIN / platform pedals

UNX-JR001

JUNIOR BIKE



CONFIGURATION

FRAME	16" Hi-ten steel / junior geometry
FORK	16" hi-ten steel / rigid
DRIVETRAIN	Single speed
CRANKSET	KAIYU KY-C01 / steel / 32T
FREEWHEEL	KANGYUE / single-speed sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / cable-operated rim brake
WHEELS	AOYANG / KANGYUE steel hubs
RIMS	SHUANGXING / 16" double-wall alloy
TIRES	HUAXIANG / 16" x 2.125
TUBES	WANDA 16 x 2.125
RIM TAPE	16 x 18mm
HANDLEBAR	BENFENG / steel junior riser bar
STEM	BENFENG / steel quill stem
SADDLE	TINGBO / padded junior saddle
SEATPOST	SIJIA / steel junior seatpost
PEDALS	MICHEL / junior platform pedals
EQUIPMENT	Training wheels / chainguard

UNX-JR002

JUNIOR BIKE



CONFIGURATION

FRAME	16" Hi-ten steel / junior geometry
FORK	16" hi-ten steel / rigid
DRIVETRAIN	Single speed
CRANKSET	KAIYU KY-C01 / steel / 32T
FREEWHEEL	KANGYUE / single-speed sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / cable-operated rim brake
WHEELS	AOYANG / KANGYUE steel hubs
RIMS	SHUANGXING / 16" double-wall alloy
TIRES	HUAXIANG / 16" x 2.125
TUBES	WANDA 16 x 2.125
RIM TAPE	16 x 18mm
HANDLEBAR	BENFENG / steel junior riser bar
STEM	BENFENG / steel quill stem
SADDLE	TINGBO / padded junior saddle
SEATPOST	SIJIA / steel junior seatpost
PEDALS	MICHEL / junior platform pedals
EQUIPMENT	Training wheels / chainguard

UNX-JR003

JUNIOR BIKE



CONFIGURATION

FRAME	16" Hi-ten steel / junior geometry
FORK	16" hi-ten steel / rigid
DRIVETRAIN	Single speed
CRANKSET	KAIYU KY-C01 / steel / 32T
FREEWHEEL	KANGYUE / single-speed sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / cable-operated rim brake
WHEELS	AOYANG / KANGYUE steel hubs
RIMS	SHUANGXING / 16" double-wall alloy
TIRES	HUAXIANG / 16" x 2.125
TUBES	WANDA 16 x 2.125
RIM TAPE	16 x 18mm
HANDLEBAR	BENFENG / steel junior riser bar
STEM	BENFENG / steel quill stem
SADDLE	TINGBO / padded junior saddle
SEATPOST	SIJIA / steel junior seatpost
PEDALS	MICHEL / junior platform pedals
EQUIPMENT	Training wheels / chainguard

UNX-JR004

JUNIOR BIKE



CONFIGURATION

FRAME	16" Hi-ten steel / junior geometry
FORK	16" hi-ten steel / rigid
DRIVETRAIN	Single speed
CRANKSET	KAIYU KY-C01 / steel / 32T
FREEWHEEL	KANGYUE / single-speed sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / cable-operated rim brake
WHEELS	AOYANG / KANGYUE steel hubs
RIMS	SHUANGXING / 16" double-wall alloy
TIRES	HUAXIANG / 16" x 2.125
TUBES	WANDA 16 x 2.125
RIM TAPE	16 x 18mm
HANDLEBAR	BENFENG / steel junior riser bar
STEM	BENFENG / steel quill stem
SADDLE	TINGBO / padded junior saddle
SEATPOST	SIJIA / steel junior seatpost
PEDALS	MICHEL / junior platform pedals
EQUIPMENT	Training wheels / chainguard

UNX-JR005

JUNIOR BIKE



CONFIGURATION

FRAME	20" Hi-ten steel / hardtail / disc mounts
FORK	20" hi-ten steel / rigid / disc mounts
DRIVETRAIN	SHIMANO SL-RS35 / 1 x 7S
REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
CRANKSET	WHEELTOP / alloy / 32T single
FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
CHAIN	KMC Z7 / 7-speed
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / threaded rear hub
RIMS	SHUANGXING / 20" double-wall alloy
TIRES	WANDA / 20" MTB tread
TUBES	20 x 2.125
RIM TAPE	20 x 18mm
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals

UNX-JR006

JUNIOR BIKE



CONFIGURATION

FRAME	20" magnesium alloy / molded frame
FORK	MODE / 20" steel coil suspension
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	RPT DSC-310 / mech. disc / 160 mm
WHEELS	SHUNFENG / single-speed hubset
RIMS	SHUANGXING / 20" double-wall alloy
TIRES	WANDA / 20" MTB tread
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals
EQUIPMENT	Pedals / reflectors

UNX-JR007

JUNIOR BIKE



CONFIGURATION

□	FRAME	20" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 20" steel coil suspension
⊗	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⊗	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
⊗	CRANKSET	WHEELTOP / alloy / 34T single
⊗	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⊗	CHAIN	KMC X9 / 9-speed
⊗	BRAKES	SHIMANO MT200 / hydraulic disc
⊗	WHEELS	JOYTECH alloy / cassette rear
⊗	RIMS	SHUANGXING / 20" double-wall alloy
⊗	TIRES	WANDA / 20" MTB tread
⊗	TUBES	20 x 2.125
⊗	RIM TAPE	20 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
⊞	PEDALS	FEIMIN / platform pedals

UNX-JR008

JUNIOR BIKE



CONFIGURATION

□	FRAME	18" Hi-ten steel / junior geometry
└─┘	FORK	18" hi-ten steel / rigid
⊗	DRIVETRAIN	Single speed
⊗	CRANKSET	KAIYU KY-C01 / steel / 32T
⊗	FREEWHEEL	KANGYUE / single-speed sprocket
⊗	CHAIN	KMC S1 / 1/2 x 1/8"
⊗	BRAKES	SAX / cable-operated rim brake
⊗	WHEELS	AOYANG / KANGYUE steel hubs
⊗	RIMS	SHUANGXING / 18" double-wall alloy
⊗	TIRES	HUAXIANG / 18" x 2.125
⊗	TUBES	WANDA 18 x 2.125
⊗	RIM TAPE	18 x 18mm
└─┘	HANDLEBAR	BENFENG / steel junior riser bar
└─┘	STEM	BENFENG / steel quill stem
└─┘	SADDLE	TINGBO / padded junior saddle
└─┘	SEATPOST	SIJIA / steel junior seatpost
⊞	PEDALS	MICHEL / junior platform pedals
⊞	EQUIPMENT	Training wheels / chainguard

UNX-JR009

JUNIOR BIKE



CONFIGURATION

▢	FRAME	20" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 20" steel coil suspension
⋈	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⋈	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
Q	CRANKSET	WHEELTOP / alloy / 34T single
⋈	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⋈	CHAIN	KMC X9 / 9-speed
⋈	BRAKES	SHIMANO MT200 / hydraulic disc
⋈	WHEELS	JOYTECH alloy / cassette rear
⋈	RIMS	SHUANGXING / 20" double-wall alloy
⋈	TIRES	WANDA / 20" MTB tread
⋈	TUBES	20 x 2.125
⋈	RIM TAPE	20 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-JR010

JUNIOR BIKE



CONFIGURATION

▢	FRAME	20" 6061 alloy / hardtail / disc mounts
└─┘	FORK	MODE / 20" steel coil suspension
⋈	DRIVETRAIN	SHIMANO SL-M3000 / 1 x 9S
⋈	REAR DERAILLEUR	SHIMANO RD-M3000-SGS
Q	CRANKSET	WHEELTOP / alloy / 34T single
⋈	FREEWHEEL	SHIMANO CS-HG200-9 / 11-32T
⋈	CHAIN	KMC X9 / 9-speed
⋈	BRAKES	SHIMANO MT200 / hydraulic disc
⋈	WHEELS	JOYTECH alloy / cassette rear
⋈	RIMS	SHUANGXING / 20" double-wall alloy
⋈	TIRES	WANDA / 20" MTB tread
⋈	TUBES	20 x 2.125
⋈	RIM TAPE	20 x 18mm
└─┘	HANDLEBAR	MODE / alloy flat bar / 680 mm
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-JR011

JUNIOR BIKE



CONFIGURATION

FRAME	20" Hi-ten steel / hardtail / rim mounts
FORK	20" hi-ten steel / rigid / rim mounts
DRIVETRAIN	Single speed
CRANKSET	XINGHUA S1003 / steel / 44T
FREEWHEEL	KANGYUE / 18T single sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / alloy V-brake
WHEELS	SHUNFENG / single-speed hubset
RIMS	SHUANGXING / 20" double-wall alloy
TIRES	WANDA / 20" MTB tread
HANDLEBAR	MODE / steel riser bar
STEM	MODE / alloy stem / 31.8 mm clamp
SADDLE	VADER / padded saddle / steel rails
SEATPOST	MODE / steel seatpost
PEDALS	FEIMIN / platform pedals
EQUIPMENT	Pedals / reflectors

UNX-JR012

JUNIOR BIKE



CONFIGURATION

FRAME	12" hi-ten steel / low step-over
FORK	12" hi-ten steel / rigid fork
DRIVETRAIN	Pedal-free balance design
WHEELS	12" one-piece molded wheelset
TIRES	12" molded tire / balance bike
HANDLEBAR	Junior bar / soft safety grips
STEM	Integrated handlebar mounting
SADDLE	Padded balance-bike saddle
SEATPOST	Height-adjustable seat support
EQUIPMENT	Balance bike

UNX-JR013

JUNIOR BIKE



CONFIGURATION

□	FRAME	20" Hi-ten steel / hardtail / disc mounts
└─┘	FORK	MODE / 20" steel coil suspension
⋈	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⋈	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⋈	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⋈	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⋈	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⋈	CHAIN	KMC Z7 / 7-speed
⋈	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⋈	WHEELS	SHUNFENG / threaded rear hub
⋈	RIMS	SHUANGXING / 20" double-wall alloy
⋈	TIRES	WANDA / 20" MTB tread
⋈	TUBES	20 x 2.125
⋈	RIM TAPE	20 x 18mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-JR014

JUNIOR BIKE



CONFIGURATION

□	FRAME	16" Hi-ten steel / junior geometry
└─┘	FORK	16" hi-ten steel / rigid
⋈	DRIVETRAIN	Single speed
⋈	CRANKSET	KAIYU KY-C01 / steel / 32T
⋈	FREEWHEEL	KANGYUE / single-speed sprocket
⋈	CHAIN	KMC S1 / 1/2 x 1/8"
⋈	BRAKES	SAX / cable-operated rim brake
⋈	WHEELS	AOYANG / KANGYUE steel hubs
⋈	RIMS	SHUANGXING / 16" double-wall alloy
⋈	TIRES	HUAXIANG / 16" x 2.125
⋈	TUBES	WANDA 16 x 2.125
⋈	RIM TAPE	16 x 18mm
└─┘	HANDLEBAR	BENFENG / steel junior riser bar
└─┘	STEM	BENFENG / steel quill stem
└─┘	SADDLE	TINGBO / padded junior saddle
└─┘	SEATPOST	SIJIA / steel junior seatpost
▢	PEDALS	MICHEL / junior platform pedals
⋈	EQUIPMENT	Training wheels / chainguard

UNX-JR015

JUNIOR BIKE



CONFIGURATION

FRAME	20" Hi-ten steel / junior geometry
FORK	20" hi-ten steel / rigid
DRIVETRAIN	Single speed
CRANKSET	KAIYU KY-C01 / steel / 32T
FREEWHEEL	KANGYUE / single-speed sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / cable-operated rim brake
WHEELS	AOYANG / KANGYUE steel hubs
RIMS	SHUANGXING / 20" double-wall alloy
TIRES	HUAXIANG / 20" x 2.125
HANDLEBAR	BENFENG / steel junior riser bar
STEM	BENFENG / steel quill stem
SADDLE	TINGBO / padded junior saddle
SEATPOST	SIJIA / steel junior seatpost
PEDALS	MICHEL / junior platform pedals
EQUIPMENT	Basket / fenders / chainguard

UNX-JR016

JUNIOR BIKE



CONFIGURATION

FRAME	20" Hi-ten steel / junior geometry
FORK	20" hi-ten steel / rigid
DRIVETRAIN	Single speed
CRANKSET	KAIYU KY-C01 / steel / 32T
FREEWHEEL	KANGYUE / single-speed sprocket
CHAIN	KMC S1 / 1/2 x 1/8"
BRAKES	SAX / cable-operated rim brake
WHEELS	AOYANG / KANGYUE steel hubs
RIMS	SHUANGXING / 20" double-wall alloy
TIRES	HUAXIANG / 20" x 2.125
HANDLEBAR	BENFENG / steel junior riser bar
STEM	BENFENG / steel quill stem
SADDLE	TINGBO / padded junior saddle
SEATPOST	SIJIA / steel junior seatpost
PEDALS	MICHEL / junior platform pedals
EQUIPMENT	Basket / fenders / chainguard

UNX-JR017

JUNIOR BIKE



CONFIGURATION

▢	FRAME	18" Hi-ten steel / junior geometry
└─┘	FORK	18" hi-ten steel / rigid
○	DRIVETRAIN	Single speed
Q	CRANKSET	KAIYU KY-C01 / steel / 32T
⊗	FREEWHEEL	KANGYUE / single-speed sprocket
○	CHAIN	KMC S1 / 1/2 x 1/8"
⊗	BRAKES	SAX / cable-operated rim brake
⊗	WHEELS	AOYANG / KANGYUE steel hubs
⊗	RIMS	SHUANGXING / 18" double-wall alloy
⊗	TIRES	HUAXIANG / 18" x 2.125
⊗	TUBES	WANDA 18 x 2.125
⊗	RIM TAPE	18 x 18mm
└─┘	HANDLEBAR	BENFENG / steel junior riser bar
└─┘	STEM	BENFENG / steel quill stem
└─┘	SADDLE	TINGBO / padded junior saddle
└─┘	SEATPOST	SIJIA / steel junior seatpost
▢	PEDALS	MICHEL / junior platform pedals
○	EQUIPMENT	Pedals / reflectors

UNX-JR018

JUNIOR BIKE



CONFIGURATION

▢	FRAME	16" Hi-ten steel / junior geometry
└─┘	FORK	16" hi-ten steel / rigid
○	DRIVETRAIN	Single speed
Q	CRANKSET	KAIYU KY-C01 / steel / 32T
⊗	FREEWHEEL	KANGYUE / single-speed sprocket
○	CHAIN	KMC S1 / 1/2 x 1/8"
⊗	BRAKES	SAX / cable-operated rim brake
⊗	WHEELS	AOYANG / KANGYUE steel hubs
⊗	RIMS	SHUANGXING / 16" double-wall alloy
⊗	TIRES	HUAXIANG / 16" x 2.125
⊗	TUBES	WANDA 16 x 2.125
⊗	RIM TAPE	16 x 18mm
└─┘	HANDLEBAR	BENFENG / steel junior riser bar
└─┘	STEM	BENFENG / steel quill stem
└─┘	SADDLE	TINGBO / padded junior saddle
└─┘	SEATPOST	SIJIA / steel junior seatpost
▢	PEDALS	MICHEL / junior platform pedals
○	EQUIPMENT	Training wheels / chainguard

UNX-FS001

SUSPENSION BIKE



CONFIGURATION

□	FRAME	26" Hi-ten steel / folding / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⌒	REAR SHOCK	Coil spring / frame-matched mounting
⌒	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⌒	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⌒	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⌒	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⌒	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⌒	CHAIN	KMC Z7 / 7-speed
⌒	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⌒	WHEELS	SHUNFENG / threaded rear hub
⌒	RIMS	SHUANGXING / 26" double-wall alloy
⌒	TIRES	CST C1846 / 26" x 2.10
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FS002

SUSPENSION BIKE



CONFIGURATION

□	FRAME	26" Hi-ten steel / folding / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⌒	REAR SHOCK	Coil spring / frame-matched mounting
⌒	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⌒	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⌒	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⌒	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⌒	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⌒	CHAIN	KMC Z7 / 7-speed
⌒	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⌒	WHEELS	SHUNFENG / threaded rear hub
⌒	RIMS	SHUANGXING / 26" double-wall alloy
⌒	TIRES	CST C1846 / 26" x 2.10
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FS003

SUSPENSION BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / full suspension / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⌒	REAR SHOCK	Coil spring / frame-matched mounting
⌒	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⌒	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⌒	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⌒	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⌒	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⌒	CHAIN	KMC Z7 / 7-speed
⌒	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⌒	WHEELS	SHUNFENG / threaded rear hub
⌒	RIMS	SHUANGXING / 26" double-wall alloy
⌒	TIRES	CST C1846 / 26" x 2.10
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FS004

SUSPENSION BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / full suspension / disc mounts
└─┘	FORK	26" hi-ten steel / rigid / disc mounts
⌒	REAR SHOCK	Coil spring / frame-matched mounting
⌒	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⌒	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⌒	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⌒	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⌒	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⌒	CHAIN	KMC Z7 / 7-speed
⌒	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⌒	WHEELS	SHUNFENG / threaded rear hub
⌒	RIMS	SHUANGXING / 26" double-wall alloy
⌒	TIRES	CST C1846 / 26" x 2.10
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FS005

SUSPENSION BIKE



CONFIGURATION

□	FRAME	26" Hi-ten steel / folding / disc mounts
└─┘	FORK	MODE / 26" steel coil suspension
⌋	REAR SHOCK	Coil spring / frame-matched mounting
⌋	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⌋	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⌋	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
Q	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⊗	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⌋	CHAIN	KMC Z7 / 7-speed
⊗	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⊗	WHEELS	26" one-piece molded wheelset
⊗	TIRES	CST C1846 / 26" x 2.10
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FT001

FAT TIRE BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / city / disc mounts
└─┘	FORK	26" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26 x 3.0 fat tire
⚙	TUBES	26 x 3.0 fat
⚙	RIM TAPE	26 x 48mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FT002

FAT TIRE BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / city / disc mounts
└─┘	FORK	26" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILLEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILLEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26 x 4.0 fat tire
⚙	TUBES	26 x 4.0 fat
⚙	RIM TAPE	26 x 48mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FT003

FAT TIRE BIKE



CONFIGURATION

▢	FRAME	26" Hi-ten steel / city / disc mounts
└─┘	FORK	26" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26 x 4.0 fat tire
⚙	TUBES	26 x 4.0 fat
⚙	RIM TAPE	26 x 48mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

UNX-FT004

FAT TIRE BIKE



CONFIGURATION

▢	FRAME	26" 6061 alloy / city / disc mounts
└─┘	FORK	26" hi-ten steel / rigid / disc mounts
⚙	DRIVETRAIN	SHIMANO ST-EF500 / 3 x 7S
⚙	FRONT DERAILEUR	SHIMANO FD-TZ500 / 3-speed
⚙	REAR DERAILEUR	SHIMANO RD-TY300 / 6-7S
⚙	CRANKSET	SHIXINGHENG / steel / 24-34-42T
⚙	FREEWHEEL	SHIMANO MF-TZ500-7 / 14-28T
⚙	CHAIN	KMC Z7 / 7-speed
⚙	BRAKES	RPT DSC-310 / mech. disc / 160 mm
⚙	WHEELS	SHUNFENG / threaded rear hub
⚙	RIMS	SHUANGXING / 26" double-wall alloy
⚙	TIRES	WANDA / 26 x 4.0 fat tire
⚙	TUBES	26 x 4.0 fat
⚙	RIM TAPE	26 x 48mm
└─┘	HANDLEBAR	MODE / steel riser bar
└─┘	STEM	MODE / alloy stem / 31.8 mm clamp
└─┘	SADDLE	VADER / padded saddle / steel rails
└─┘	SEATPOST	MODE / steel seatpost
▢	PEDALS	FEIMIN / platform pedals

URBNEX

BICYCLE COLLECTION 2026

COMPANY

Hangzhou Yuming Information Technology Co., Ltd.

ADDRESS


Room 12552, Building 9, No. 336 Changjiang Road,
Changhe Subdistrict, Binjiang District,
Hangzhou, Zhejiang, China

CONTACT

Niklaus Wang

WhatsApp

wa.me/qr/GY62AUPNRMCKH1



Scan to chat

WhatsApp